INDEX TO VOLUME 80

Names of contributors are printed in CAPITALS. Names of new genera, species, varieties, forms and combinations are printed in **bold face**. Numbers in *italic* refer to pages on which the name is listed as a synonym. Numbers in **bold face** refer to pages on which the name is accompanied by a description or illustration.

Abies, 129; *balsamea*, 123, 129
Acaena pinnatifida, 473
Acaulon, 279; *megalosporum*, 279, 281, 283; *rubrum*, 281; *rufescens*, 281; *Runyoni*, 279, 281
Acer, 128; *rubrum*, 266, 270; *saccharum*, 267, 270; *spicatum*, 126, 127
Acetobacter, 202; *suboxydans*, 52
Aegilops caudata, 334; *crassa*, 331, 334; *cylindrica*, 331
Agrimonia striata, 473
Agrobacterium tumefaciens, 217, 218, 219, 223
AHMAD, M.: Biochemical investigations in *Saccharomyces*, 197
Albugo, 304, 305; *evolvuli*, 304; *tragopogonis*, 304
Alchemilla fissa, 473
Alcimandra, 349
Alfaroa costaricensis, 366
Algae, *fifteen* new, 342
Alisma plantago, 498; *plantago-aquatica*, 498
Allium, 273, 501, 502; *cepa*, 134, 501, 502, 504, 505; *paniculatum*, 329
Alnus, 128; *rugosa*, 126, 127; *serrulata*, 367
Alopecurus, 193, 194, 303
Alternaria, 338; *cichorii*, 337; *raphani*, 337; *tenuis*, 338; *tenuissima*, 338
Althea pallida, 332
Amanita, 60
Amaranthus verschaffeltii, 173
Amblystegium fluitans, 99; *varium*, 267, 268, 269
Amentiferae and Ranales, Secondary xylem elements of, 365
Amygdalus communis, 475
Andromeda glaucophylla, 515
Andropogon, 155
Anemone, 333
Eneuploidy in *Phalaris* spp., 16
Anthericum ramosum, 169
Anthoceros, 67, 68, 71, 73, 74; *dissectus*, 65, 66, 74; *endiviaefolius*, 67; *fuciformis*, 68, 70, 72, 73, 74; *giganteus*, 69; *husnoti*, 72; *venosus-ravenelii*, 73
Anthocerotales, Studies on, 65
Antirrhinum majus, 329
Aorate costaricana, 160
Aphanomyces, 385, 386; *byzantina*, 385; *camptostylus*, 385, 396; *cladogamus*, 385, 396; *cochlioides*, 385; *euteiches*, 385; *levis*, 385
Apinagia dissecta, 67
Apium graveolens, 336
Aplectrum hyemale, 515
Aralia nudicaulis, 126, 128
Argythamnia, 420; **Arlynniana**, **420**, 421; **Dressleriana**, **422**, 423; **Gentryi**, **421**, 422; *lanceolata*, 421; *manzanilloana*, 422; *serrata*, 422, 423
Aricularia, 60
Armeria canescens, 327
Aromadendron, 349
Ascobolus furfuraceus, 2; *magnificus*, 1, 2, 3, 4, 7, 8, 9, 10, 11, 12; *stercorarius*, 2
Ascophanus carneus, 2
Ascus development in *Ascobolus magnificus*, A cytological study of, 1
Aspergillus ochraceus, 336
Asphodelus microcarpus, 329, 330
Aspidium simulatum, 99
Asplenium, 76, 77, 81, 82, 85, 87, 89, 91, 92, 93; *Adiantum-nigrum*, 89; *auritum*, 76; *ebenoides*, 91; *falcatum*, 76; *formosum*, 87; *harpeodes*, 87; *heterochroum*, 85, 87; *leucostegioides*, 76, 77, 78, 81, 82, 83, 84, 85, 87, 88, 89, 90, 91, 92, 93, 94; *lobulatum*, 76; *Macraei*, 76; *marinum*, 89; *monanthes*, 77, 80, 81, 82, 83, 84, 85, 87, 88, 90, 91; *normale*, 77, 80, 81, 82, 83, 84, 85, 87, 88, 90, 91; *platyneuron*, 81, 83, 84, 85, 87; *radicans*, 76; *resiliens*, 81, 82, 83, 85; *Ruta-muraria*, 89, 92; *septentrionale*, 89, 92; *Trichomanes*, 80, 81, 82, 83, 84, 85, 87, 88, 89, 90, 91, 93; *Trudelli*, 91; *viride*, 89
Asplenium prototype of the genus *Diellia*, 76
Aster subulatus, 100
Athyrium thelypterioides, 515
Atrichum undulatum, 267, 268, 269
Auriscalpium vulgare, 21, 23, 24
Avena barbata, 330, 331; *byzantina*, 335; *sativa*, 335, 385
Baccharis halimifolia, 100
Bacillus megaterium, 289, 290, 292, 293, 294, 295, 296, 297

Baker, H. G.: Aggregations formed by motile protozoa, 419
Balanops australiana, 366, 379
Ball, Ernest: Culture of plant tissues, 409
Basidiophora, 299
Basidium development in *Coleosporium sidae*, 205
Beckmannia, 187, 191, 192, 193, 194, 195; *cruciformis*, 187, 192, 194; *syzigachne*, 188, 191, 194
Beckmannia Host, Affinities of the grass genus, 187
Berberis cretica, 331; *fendleri*, 331
Berger, C. A. & E. R. Witkus: A Cytological study of the development of *Galtonia candicans* Decne., 501
Berteroa incana, 172, 173
Beta vulgaris, 168, 385
Betula lutea, 366, 378; *nigra*, 266, 267, 270; *papyrifera*, 123
Blum, John L.: The racemose Vaucheriae with inclined or pendent oogonia, 478
Boivin, Bernard: Thalictrum cardenasianum, Sp. N., 136
Bold, Harold C. & Richard C. Starr: A new member of the Phacotaceae, 178
Boletus, 60; *piperatus*, 60
Botrychium dissectum, 515; forma *obliquum*, 515; *matricariaefolium*, 515
Bovista, 22
Brachiaria platyphylla, 189, 194
Brachiomonas, 182
Branchipus, 312
Brassica oleracea var. *capitata*, 337
Bremia lactucae, 326
Bromus inermis, 131; *sterilis*, 330
Bryophyllum, 217
Bryophyte life forms, 264
Buchloë dactyloides, 190, 195
Buell, Murray, F. & William A. Niering: Vegetation of a raised bog near Itasca Park, Minnesota, 123
Bupleurum falcatum, 170, 172; *rotundifolium*, 350; *semidiaphanum*, 330
Buxus sempervirens, 170, 172, 173, 174
Calamagrostis canadensis, 126
Calamintha incana, 333
Caliergonella schreberi, 128
Calocera cornea, 37, 39; *viscosa*, 37, 38, 39
Calopogon pulchellus, 515
Caltha palustris, 126, 128
Camptogastra coetera, 136
Camptosorus, 88, 89, 92
Campylium hispidulum, 267, 268, 269
Capsella bursa-pastoris, 325, 326
Capsicum annuum, 337, 338
Carduus pycnocephalus, 330
Carex, 126
Carpinus, 378; *caroliniana*, 266, 267, 367, 379
Carteria, 182
Carya cordiformis, 266, 267, 270; *glabra*, 266, 270, 367
Castanea, 317; *dentata*, 143, 366, 378
Castanopsis, 317, 318; *acuminatissimus*, 318; *borneensis*, 320; *brevistella*, 317; *carlesii*, 317, 318, 319; *carlesii* var. *carlesii*, 318; *carlesii* var. *sessilis*, 318; *chrysophylla*, 366; *kawakami*, 319; *longicaudata*, 318, 319; *stipitata*, 318, 319; *uraiana*, 322
Ceanothus ovatus, 516
Cellular fusion in *Bacillus megaterium*, 289
Celtis occidentalis, 267
Cenchrus tribuloides, 100
Cenococcum, 60; *graniforme*, 61
Centaurea scabiosa, 169
Ceratostomella, 513
Cercidiphyllum japonicum, 367, 378
Cercocarpus betulaefolius, 473; *parvifolius*, 473; apii var.
Cercospora apii var. *petroselini*, 340; *petroselini*, 340
Cerotelium fici, 327
Ceterach, 81, 89, 92; *officinarum*, 92
Chamaebatia foliolosa, 473
Chamaebryum, 287
Characium, 308, 312; *angustum*, 308, 309, 312; *limneticum*, 308; *saccatum*, 308, 309, 312, 313; *Sieboldii*, 308, 309, 312
Chlamydomonas, 182
Chlorella, 509
Chloris verticillata, 190, 195
Chlorococcum infusionum, 312
Chrysler, M. A. (Reviews) 140, 516
Chute, Hettie M. (Review) 98
Cichorium intybus, 337
Cirsium arvense, 334; *canum*, 169, 171; *lanceolatum*, 330; *vulgare*, 330
Citrus, 455; *aurantium*, 337
Cladonia, 268
Cladosporium herbarum, 338
Clark, Harold E. (Review) 352
Clathrococcum, 160, 161
Clavaria, 21, 60; *glossoides*, 36
Clematis, 376, 379; *dioscoreifolia*, 367, 376; *dioscoreifolia* var. *robusta*, 95; *virginiana*, 95, 376
Clinopodium vulgare, 333
Clitocybe, 60
Clitopilus, 60
Closterium, 260, 261

Clostridium septicum, 202
Coleosporium, 205, 206, 207, 212, 213, 214; *crowellii*, 213; *helianthi*, 205, 210; *inulae*, 334; *pinicola*, 213; *senecionis*, 205; *sidae*, 205, 213, 215; *sonchi-arvensis*, 205; *vernoniae*, 205, 206, 207, 210
Collybia, 60
Comptonia peregrina, 367
Conservation of life in desiccated tissues, 166
Coprinus, 60
Cordyline, 517
Cornus canadensis, 126, 128; *florida*, 266; *stolonifera*, 126, 127
Cortinellus, 60
Corylus Avellana, 367
Corynebacterium diphtheriae, 51
Cowania mexicana, 473
Cosmarium, 260
Crataegus heldreichii, 328
CRITOPOULOS, P. D.: Fungus flora of Greece, 325
Crown gall disease, a heat chamber for the study of, 217
CUATRECASAS, JOSE: New taxa in the genus *Diplostephium*, 401
Culture of plant tissues, 409
Cyclobalanopsis, 317, 323; *glauca*, 323, 324; *hypophyaea*, 321; *kanehirai*, 324; *longinux*, 323; *pachyloma*, 324; *pseudomyrsinaefolia*, 324; *sasakii*, 323; *stenophylla* var. *latifolia*, 324; *stenophylloides*, 324; *tomentosicupula*, 324
Cydonia oblonga, 328; *japonica*, 473
Cynodon dactylon, 335
Cynosurus echinatus, 326
Cypripedium, 515; *acaule*, 515; *arietinum*, 515; *Calceolus*, 515; *candidum*, 515; *reginae*, 515; *spectabile*, 515
Cystopus candidus var. *globosus*, 325; *portulacae*, 325
Cytological study of ascus development in *Ascobolus magnificus*, 1
Dachryomyces, 60
Dacrymyces, 35; *minor*, 34, 35
Dacryomitra, 36; *glossoides*, 34, 36, 37; *nuda*, 36
Dactylis glomerata, 113, 120, 189, 195
Dactyloctenium aegyptium, 190, 195
Daedalea, 60
Dalibarda repens, 473
DAMON, SAMUEL: Notes on *Spegazzinia* Sacc. and *Isthmospora* Stevens, 155
Daucus carota var. *sativa*, 326
DAWSON, E. YALE: Occurrence of *Gracilariopsis*, 314
Degeneria, 472; *vitensis*, 366, 379
Degeneriaceae, 476
DELAMATER, EDWARD D.: Cellular fusion in *Bacillus megaterium*, 289
Dendroceros, 69, 73, 74; *cichoraceus*, 68, 69, 70, 72, 74; *crispus*, 69, 72, 74; *endiviaefolius*, 66, 67, 68, 74; *giganteus*, 69, 74
Deschampsia flexuosa, 189, 195
Desmids, 247
Diapensia lapponica, 516
Dicranella heteromella,, 267, 268, 269
Dicranum scoparium, 267, 268, 269, 271
Dictyoarthrinium qaudratum, 164; *sacchari*, 164
Diellia, 76, 77, 80, 81, 82, 84, 85, 87, 88, 89, 90, 91, 92, 93; *Alexandri*, 85, 87, 88; *erecta*, 76, 80, 81, 82, 83, 88; *falcata*, 80, 81, 82, 84, 85, 87, 88, 89; *laciniata*, 89, 92; *Mannii*, 80, 82, 85, 92; *unisora*, 80, 81, 82, 83, 92
Diplostephium **crassifolium, 401,** 402; *denticulatum*, 403; *ellipticum*, 404; **espinosae, 402; fosbergii, 403;** *glutinosom* forma **microphyllum, 408; goodspeedii, 404; grantii, 403,** 404; **gynoxyoides, 405;** *haenkei*, 405; *hartwegii*, 402; *hippophae*, 407; **lacunosum, 406;** *lavandulifolium*, 402; **peruvianum, 406,** 407; *pleistogynum*, 408; *pleistogynum* var. **orientale, 408; ramiglabrum, 407;** *vermiculatum*, 407
Dracaena, 517
DRECHSLER, CHARLES: New species of *Plectospira*, 385
Drimys Winteri, 366
Drosera intermedia, 515; *longifolia*, 515; *rotundifolia*, 515
Droseraceae, 515
Dryas, 471; *octopetala*, 471, 473
Duchesnea indica, 473
Dysmorphococcus, 178, 184, 185; *coccifer*, 184; **globosus, 178,** 179, 182, 184, 185; *variabilis*, 179, 184, 185
Echinochloa crusgalli, 189, 195
Ectosperma hamata, 486, 490; *racemosa*, 483, 485; *terrestris*, 486, 487, 488, 489
Eleusine coracana, 192, 299, 300, 305; *indica*, 190, 192, 195
Elmerrilia, 349
Elytrophorus spicatus, 306
Engelhardtia pterocarpa, 366
Endomyces, 289
Epicoccum, 161; *neglectum*, 162; *nigrum*, 161
Epilobium roseum, 333
Eragrostis, 299
Erpodium, 279

Eryngium campestra, 330
Erysiphe cichoracearum, 326; *graminis*, 326; *graminis* var. *hordei*, 326; *pisi*, 326; *taurica*, 326
Euastrum, 248, 259, 260; *bidentatum*, 260; *crassicolla*, 346; *denticulatum*, 259; *pectinatum*, 260; *pinque*, 260; **tribulbosum**, 343, 345, 346
Euglena gracilis var. *bacillaris*, 419
Euglenopsis **minor, 346**, 347
Eupatorium coelestinum, 99
Euphorbia cyparissias, 95, 335; *helioscopia*, 335; *heterophylla*, 499
Eurhynchium serrulatum, 267, 268, 269, 270
Evonymus americanus, 143; *japonica*, 336
Exidia alba, 35, 37
Exochorda, 471; *Alberti*, 473; *grandiflora*, 471, 473
Fagaceae of Formosa, 317
Fagus, 317, 373; *grandifolium*, 266, 267, 366, 373
Fallugia paradoxa, 473
Femsjonia pezizaeformis, 36, 37
Festuca, 333; *arundinaceae*, 19; *elatior*, 189, 195, 385; *glauca*, 169, 170; *rubra*, 385
Ficus carica, 327
Field trip reports, 98, 142, 425, 515
Flammula, 60
Flora of South-Central Texas, 350
Fomes, 43, 44, 60, 62; *fraxinophilus*, 44, 46, 47, 52, 53, 54, 61, 62; *pini*, 46, 47, 52, 53, 55; *roseus*, 46, 47, 53, 55
Fragaria, 463, 471; *vesca*, 473
Fraxinus americana, 266, 267, 270
Freesia, 134
Fungus flora of Greece, 325
Furcilia **rotunda, 342**, 344
Fusarium, 509; *aquaeductum*, 509; *episphaeria*, 509, 513; *oxysporum*, 340; *solani*, 340
Galium triflorum, 126
Gallowaya pinicola, 205, 206
Galtonia, 501, 503; *candicans*, 501, 502, 503, 504, 505
Galtonia candicans, Cytological study of the development of, 501
Ganoderma lucidum, 22
Gasteria, 273, 274, 275, 278; *margaritifera*, 274, 276, 277; *nitida*, 274, 275; *Zeyheri*, 274, 276, 277
Gelasinospora tetrasperma, 212
Gentiana Saponaria, 143
Geotrichum candidum, 510
Geum, 463, 471; *rivale*, 471, 473
Gigaspermum, 279, 286, 287; *repens*, 286
Gillenia, 471; *stipulacea*, 473; *trifoliata*, 471, 473
Glaucoma pyriformis, 419
Glocotulasnella, 33, 40, 41; **aggregata**, 39, **40**, 41; **caroliniana**, 39, **41**; *pinicola*, 40; *rogersii*, 41
Glomerella, 14, 207
Glycine max, 336
Goodyeara pubescens, 515
Gracilariopsis, 314, 315, 316
Gracilariopsis, Occurrence in Atlantic and Caribbean, 314
Gryllus, 155
Guepiniopsis, 38; *merulinus*, 38; *torta*, 37, 38, 39
GUNCKEL, JAMES E. (Review) 351
GUNCKEL, JAMES E., IELENE B. MORROW, ARNOLD H. SPARROW & ERIC CHRISTENSEN: Variations in the floral morphology of normal and irradiated plants of *Tradescantia paludosa*, 445
Gymnosporangium clavariforme, 328; *juniperium*, 328; *sabinae*, 328
Gynoxys, 406
Habenaria blephariglottis, 515; *cristata*, 99; *dilatata*, 515; *hyperborea*, 515; *integra*, 99; *lacera*, 515; *nivea*, 99; *psycodes*, 515
Haematococcus, 182
Hamamelis virginiana, 267
HAMILTON, ERNEST S.: Bryophyte life forms, 264
HANSON, A. A. & HELEN D. HILL: Aneuploidy in *Phalaris* spp.; Meiotic behavior of hexaploid orchard grass (*Dactylis glomerata*), 113
Haynaldia villosa, 333
Hedera, 469; *helix*, 174
Helianthus annuus, 331, 455
Heliotropium europaeum, 327
Hepatica, 333
HESSELTINE, C. W.: Study of trickling filter fungi, 507
Heteronema bifurcata, 344, 347; **longiovata**, 344, **347**; **nebuloglabra**, 344, **347**, 348; *nebulosa*, 347
Hexaploid orchard grass, 113
Hibiscus esculentus, 336
Hieracium Hoppeanum, 134
Himantandra, 373, 375, 376; *Belgraveana*, 366
Hordeum, 332; *bulbosum*, 331; *murinum*, 332
Hormidium rivulare, 348
Houstonia longifolia, 516
Humaria rutilans, 1
Hydnum, 60

Hydrothyria venosa, 99
Hymenomycetes, Essential metabolites for, 43
Hyphal systems of *Auriscalpium vulgare*, 21
Hypholoma, 60
Hypnum cristacastrensis, 128; *patientiae*, 267, 268, 269
Hypomyces, 5
ILJIN, W. S.: Conservation of life in desiccated tissues, 166
Illicium, 349, 350; *anisatum*, 349, 350, 367; *floridanum*, 349, 350
Impatiens capensis, 126
Imperata cylindrica, 335
Index to American botanical literature, 102, 145, 234, 355, 432, 518
INGRAM, JOHN: New species and new combinations in the genus *Argythamnia*, 420
Inula attica, 334
Ipomoea, 517; *pandurata*, 100
Isoetes engelmanni, 100
Isthmospora, 155, 156, 160, 162; *glabra*, 160; *spinosa*, 155, 159, 160, 163; **trichohila**, 159, 160, **163**
Iva frutescens, 100
JOHNSON, M. A.: Magnoliaceae, relationship as determined by precipitin reaction, 349; (Review) 352
Juglans nigra, 366, 378
Juniperus oxycedrus, 328
Kadsura, 374, 375; *coccinea*, 366
KAEISER, MARGARET: Microstructure of the wood of the three species of *Taxodium*, 415
Kageneckia, 471
KALLIO, PAAVO: On the morphogenetics of the desmids, 247
Kalmia polifolia, 515
Kerria japonica, 473
KMERIA, 349
KNOBLOCH, WILLIAM IRVING: Tetraploid smooth bromegrass, 131
Koeleria cristata, 331; *phleoides*, 330, 331
KORF, RICHARD P. (Review) 142
Kuromatea glabra, 320
Lacis, 67
Lactarius, 60; *deliciosus*, 61
Lactobacillus casei, 61; *helveticus*, 61
Lactoris fernandeziana, 366, 379
Lactuca sativa, 326
Lagurus ovatus, 332
Larix laricina, 125
Lathyrus, 385; *pratensis*, 327
Lavatera arborea, 332
LAWTON, ELVA: *Lorentziella*, a moss genus new to North America, 279
LEHR, J. HARRY: Millspaugh's Footsteps retraced after sixty-nine years, 515
Leitneria floridana, 366
Lentinus, 60
Lenzites, 21, 60
Lepiota, 60
Leptangium, 279; *imbricatum*, 279, 280, 283, 285, 287
Leptochloa scabra, 190, 195
Leucobryum glaucum, 167, 268, 269
LEVINE, MICHAEL: A heat chamber for the study of the crown gall disease under controlled temperature and humidity, 217
LI, HUI-LIN: Taxonomic notes on the Fagaceae of Formosa, 317
Limlia, 323; *uraiana*, 322
Limonium carolinianum, 100; *vulgare*, 327
Linaria, 499
Lindera benzoin, 267, 270
Lindleye, 471; *mespiloides*, 471, 473
Linum usitatissimum, 386
Liriodendron, 349, 350; *tulipifera*, 266, 349, 366, 378
Lithocarpus, 317, 318, 320, 321; *amygdalifolius*, 320; *cornea*, 322; *densiflora*, 366; *dodonaeifolia*, 320; *glabra*, 320, 321; *hypophyaca*, 321; *kodaihoensis*, 321; *konishii*, 321, 322; *longicaudata*, 318, 319; *randaiensis*, 322; *stipitata*, 318, 319; *suishaensis*, 322; *taitoensis*, 320; *uraiana*, 322
Lolium perenne, 19; *rigidum* var. *compressum*, 331, 332; *temulentum*, 332; *temulentum* var. *arvense*, 332
Lorentziella, 279, 286, 287; *Giberti*, 280, 281, 283, 285; *glauca*, 279, 280, 281, 285; *globiceps*, 279, 280, 281, 285; *imbricata*, 280, 281, 285; *paraguensis*, 279, 280, 281, 283, 285; *Uruguensis*, 279
Lorentziella, a moss genus new to North America, 279
Lupinus hirsutus, 327; *perennis*, 99
Lycopersicon esculentum, 27, 335, 336, 338, 340, 385
Macrophomina phaseoli, 335
Macrosporium parasiticum, 338; *sarcinula*, 338
Magnolia, 349, 350; *grandiflora*, 366, 378, 379; *kobus*, 349, 350; *obovata*, 349; *portoricensis*, 349; *tripetala*, 349, 350; *virginiana*, 349
Magnoliaceae, Relationship as determined by precipitin reaction, 349
Mahonia, 331
Malaxis brachypoda, 515

Malus, 471; *pumila*, 328; *spectabilis*, 471, 473
Malva, 332; *sylvestris*, 332
Manglietia, 349; *hainanensis*, 366
Marasmius, 60
Matricaria chamomilla, 326
MATZKE, EDWIN B. (Review) 97
Medicago sativa, 328
Megaceros, 67, 69, 73, 74; *giganteus*, 69
Meiotic behavior of hexaploid orchard grass (*Dactylis glomerata*), 113
Melampsora euphorbiae, 334; *helioscopiae*, 335; *magnusiana*, 335
Melanomma, 161; *pulvis-pyrius*, 161
Melanotaenium, 498, 499; *endogenum*, 499; **euphorbiae, 499**; *hypogaeum*, 499
Meliola, 159, 160, 163
Meliosma from the Colombian Andes, a new, 500
Meliosma **bogotana, 500**
Menispermum canadense, 472
Mentha longifolia, 333
Menyanthes trifoliata, 515
Merulius, 21, 60
Michelia, 349, 350; *champaca*, 349; *fuscata*, 366
Micrasterias, 247, 248, 249, 251, 253, 254, 256, 258, 259, 260, 261; *angulosa*, 249, 251; *crux melitensis*, 249; *denticulata*, 249, 251, 253; *fimbriata* var. *caudata*, 247; *Mahabuleshwarensis* var. *Wallichii*, 259; *Murrayi* var. *triquetra*, 259; *papillifera*, 251, 253; *pinnatifida* var. *trigona*, 259; *radiata*, 249; *rotata*, 247, 249, 251, 253; *rotata* var. *evoluta*, 251; *Thomasina*, 249, 250, 253, 254, 255, 256, 257, 258, 268; *Thomasiana* var. *notata*, 247, 249, 250, 251, 253, 256, 257; *truncata*, 249, 259
Microsporogenesis, Duration of in *Gasteria*, 273
Microstylis monophyllos, 515
Millspaugh 's footsteps retraced after sixty-nine years, 515
Mitella nuda, 126, 128
Mnium, 126, 128; *affine*, 267, 268, 269; *cuspidatum*, 126, 267, 268, 269; *medium*, 126; *undulatum*, 168
MONACHINO, JOSEPH: *Strophanthus glabriflorus*, 412
Morphogenetics of the Desmids, 247
Morphology and reproduction of *Characium saccatum*, 308
Mycena, 60
Myrica pensylvanica, 367
Nemopanthus mucronata, 515
Neurospora, 98, 202; *crassa*, 8, 13, 14, 207; *tetrasperma*, 13
Nicotiana glutinosa, 217; *Tabacum*, 27, 217, 326
Nostoc, 67
Nothofagus, 373; *antarctica*, 366, 373
Notothylas, 71, 73
Nozemia, 303; *macrospora*, 305
Nuttallia cerasiformis, 473
Odontia, 35
Oedipodiella, 287
Oedogonium inconspicuum, 343; **Kurzii** var **ovatum, 342; sphaerico-inconspicuum, 343, 344**
Oidium abelmoschi, 336; *evonymi-japonicae*, 336
OLIVE, LINDSAY S.: New or noteworthy species of Tremellales from the southern Appalachians II, 33
Oocystis **brevispina, 342, 344**
Oospora lactis, 509, 510, 513
Ophioglossaceae, 5, 16
Ophiostomataceae, 513
Orchidaceae, 515
Orchis spectabilis, 515
Ostrya virginiana, 267, 367, 378
Pachylarnax, 349
Paeonia suffruticosa, 366
PALMQUIST, EDWARD M.: (Review), 232
Panicum, 191; *clandestinum*, 189, 195; *syzigachne*, 187; *verrucosum*, 143
Panus, 60
Papularia arundinis, 340
Papulospora magnifica, 2
Pasania, 317, 320, 321; *amygdalifolia*, 320; *cuspidata*, 319; *dudonacifolia*, 320; *formosana*, 320; *glabra*, 320; *hypophyaca*, 321; *kodaihoensis*, 321, 322; *konishii*, 321, 322; *longicaudata*, 318, 319; *randaiensis*, 322; *rhombocarpa*, 322; *sieboldiana*, 321; *thalassica*, 320; *uraiana*, 322
Patella malaloma, 1, 14
PATRICK, RUTH (Review), 428
Penicillium chrysogenum, 337; *citrinum*, 337; *digitatum*, 337; *italicum*, 337; *meleagrinum*, 337; *stoloniferum*, 337; *urticae*, 337
Pennisetum typhoideum, 299
Peranema trichophora, 347, 348
Peronospora leptosperma, 326; *parasitica*, 326; *sisymbrii-officinalis*, 326
PETERSEN, ALICE E.: A comparison of the secondary xylem elements of certain species of the Amentiferae and Ranales, 365

Petroselinum crispum, 340; *sativum*, 340
Phacotaceae, A new member of the, 178
Phacoceros, 67, 17
Phalaris, 16, 20, 187; *arundinaceae*, 16, 17, 18, 19, 20, 189, 195; *californica*, 16, 17, 19; *canariensis*, 16, 17, 18, 19; *coerulescens*, 16, 17, 19; *eruciformis*, 187; *minor*, 16, 17, 18, 19, 20; *paradoxa*, 16, 17, 19; *tuberosa*, 16, 17, 19
Phascum, 279
Phaseolus vulgaris, 327
Phleum, 193, 194; *alpinum*, 189, 195
Pholiota, 60
Photinia integrifolia, 473
Phragmidium fragariastri, 334; *tuberculatum*, 334; *violaceum*, 334
Phyllactinia corylea, 212
Phyllitis, 89
Physocarpus, 471; *opulifolia*, 471, 473
Physoderma, 498; *maculare*, 498, 499
Phytophthora, 299, 303, 304, 305; *cactorum*, 304; *erythroseptica*, 304; *macrospora*, 303, 305
Picea glauca, 123; *mariana*, 123
Picnomon acarna, 328
Pilobolus, 513
Pinus banksiana, 124, 516; *sylvestris*, 174
Pistacia vera, 338, 339
Pisum sativum, 326, 385
Pityrosporum ovale, 61
Plagiothecium denticulatum, 267, 268, 269
Plasmopara viticola, 326
Platanus occidentalis, 100, 266, 270
Platygloea, 33; subvestita, 33, 34, 35, 37; *vestita*, 33, 35
Plectospira, Two new species of, 385
Plectospira **agama, 386,** 387, 388, 389, 391, 393; **plagiocaula,** 392, **393,** 394, **395,** 396, 397, 398, 399; *gemmifera*, 386, 387, 391, 396; *myriandra*, 386, 387, 396, 399
Pleospora herbarum, 340
Pleurotaenium, 247, 261; *coronatum*, 261; *trabecula*, 261; *truncatum* var. *Farquharsonii*, 253, 261
Pluchea camphorata, 100
Poa badensis, 169, 170; *nemoralis*, 333
Podospernum canum, 333
Pogonatum gracile, 267, 268, 269
Pogonia ophioglossoides, 515
Polygonum aviculare, 327; *scandens*, 161
Polypogon, 193, 194
Polyporus, 40, 43, 44, 60, 62; *abietinus*, 46, 47; *anceps*, 46, 47; *berkeleyi*, 46, 47, 52, 55, 56, 61, 62; *borealis*, 46, 47, 52, 58, 59; *cinnabarinus*, 46, 47; *croseus*, 46, 47, 52; *delectans*, 46, 47; *dichrous*, 46, 47; *distortus*, 46, 47, 49; *durescens*, 46, 47; *frondosus*, 46, 47, 52, 54, 56, 61, 62; *fumosus*, 46, 47, 52; *giganteus*, 46, 47, 52; *gilvus*, 46, 47, 52; *graveolens*, 46, 47; *guttalatus*, 45, 46, 47, 52, 58, 59, 60, 61; *hydnans*, 46, 47; *immitus*, 45, 46, 47, 56, 57, 61, 62, 63; *lucidus*, 46, 47; *obtusus*, 46, 47; *oregonensis*, 46, 47; *osseus*, 46, 47; *paragamenus*, 46, 47, 49, 52; *pubescens*, 45, 46, 47; *resinosus*, 46, 47; *schweinitzii*, 45, 46, 47, 51, 52, 54, 57, 58, 61, 62, 63; *spumens*, 46, 47; *spumens* var. *malicola*, 46, 47; *squamosus*, 46, 47; *tenuis*, 46, 47; *texanus*, 43, 46, 47, 49, 50, 52, 58, 60, 61; *trabeus*, 46, 47; *tulipiferae*, 46, 47, 56, 58, 61; *velutinus*, 45, 46, 47, 49; *vulpinus*, 46, 47, 52, 58, 59
Polytrichum ohioense, 268, 269
Populus deltoides, 366; *nigra*, 335
Poria, 60
Portulaca oleracea, 325
Potentilla, 463; *anserina*, 473; *arguta*, 516; *micrantha*, 334; *recta*, 473
Poterium canadense, 473; *sanguisorba*, 473
PROSKAUER, JOHANNES: Studies on Anthocerotales. IV, 65
Proteus vulgaris, 296
Protodontia uda, 35
Protosiphon, 311
Prunellae vulgaris, 387
Prunus, 457, 463, 469, 470, 471, 473, 474, 475; *acida*, 469; *amygdalus*, 326, 333, 470; *avium*, 470, 473; *cerasifera*, 469; *cerasus*, 457, 468, 469, 473; *domestica*, 333, 457, 469, 470, 471, 474; *institia*, 469; *maritima*, 100; *padus*, 473; *paniculata*, 474, 476; *persica*, 333, 470, 473, 476; *virginiana*, 126
Prunus domestica, Developmental anatomy of the fruit of, 457
Psalliota, 60
Psamma arenaria, 161
Pseudowintera axillaris, 366
Psilurus aristatus, 330; *incurvus*, 330
Pteris Lidgatei, 87, 92
Ptychogaster, 60
Puccinia acarnae, 328; *allii*, 329; *anomala*, 332; *antirrhini*, 329; *arenariae*, 329; *asphodeli*, 330; *baudysii*, 330; *bromina*, 330; *bupleuri*, 330; *carduipycnocephali*, 330; *cirsii*, 328, 330; *coronata*, 330; *dispersa*, 330; *eryngii*, 330; *festucinae*, 333; *fragosoi*, 330; *glumarum*, 331, 332; *graminis*, 331, 332; *helianthi*, 331; *hordei*, 332; *hordei-murini*, 332; *koele-*

riae, 330, 331; *laguri*, 332; *malvacearum*, 332; *maydis*, 334; *menthae*, 333; *poarum*, 333; *podophylli*, 329; *podospermii*, 333; *pruni-spinosae*, 333; *pulverulenta*, 333; *rubigo-vera*, 333; *scillae-rubrae*, 333; *simplex*, 332; *sorghi*, 334; *suaveolens*, 334; *triticina*, 334; *violae*, 334
Purshia tridentata, 473
Pyronema confluens, 1, 14
Pyrus arbutifolia, 473; *communis*, 328; *malus*, 473
Pythium, 386
Quamoclit, 517
Quercus, 317; *alba*, 266, 270, 367; *amygdalifolia*, 320; *carlesii*, 317, 318, 319; *cornea* var. *konishii*, 321, 322; *cuspidata*, 318; *dodonaeifolia*, 320; *formosana*, 320; *glabra*, 320, 321; *glauca*, 323; *heterophylla*, 100; *hypophyaea*, 321; *junghuhnii*, 318, 319; *kodaihoensis*, 321; *longicaudata*, 319; *pachyloma*, 324; *palustris*, 100; *prinus*, 266, 267, 270; *pseudomyrsinaefolia*, 323; *randaiensis*, 322; *rhombocarpa*, 322; *rubra*, 266, 270; *rudkini*, 100; *sasakii*, 323; *semicarpifolia*, 323; *semicarpifolia* var. *glabra*, 323; *sieboldiana*, 320; *spinosa* var. *miyabei*, 323; *stenophylla* var. *stenophylloides*, 324; *stenophylloides*, 324; *stipitata*, 318, 319; *taichuensis*, 323; *taitoensis*, 320; *thalassica*, 320, 321; *tomentosicupula*, 324; *velutina*, 266, 270; *uraiana*, 322
Quillaja, 471
Racemose Vaucheriae with inclined or pendent oogonia, 478
RAGAB, M. A.: Hyphal systems of *Auriscalpium vulgare*, 21
Ranunculaceae, 476
Ranunculus, 472; *aquatilis*, 66
Raphanus sativus, 385
Reciprocal tomato-tobacco grafts, The growth of, 26
REEDER, JOHN R.: Affinities of the grass genus *Beckmannia* Host., 187
REUSZER, H. W. (Review), 429
Rhamnus alnifolia, 126
Rhizoclonium **giganteum, 343,** 345; *hieroglyphicum*, 343
Rhizoctonia bataticola, 335
Rhizopogon, 60
Rhododendron lapponicum, 516
Rhoeo, 134; *discolor*, 167, 168
Ribes, 267, 469; *americanum*, 126; *triste*, 126
Riccardia pinguis, 67
RICKETT, H. W. (Reviews), 140, 232, 517
RILEY, PARKES H. & CHESTER, C. IRVIN: Duration of the stages of microsporogenesis in *Gasteria*, 273
Rosaceae, 460, 466, 472, 474, 475
Rosa micrantha, 334
Rubus, 267; *hispidus*, 473; *Idaeus*, 473; *pubescens*, 126, 128; *ulmifolius* subsp. *anatolicus*, 334
Rumex acetosa, 170; *acetosella*, 395
Sabatia angularis, 99; *stellaris*, 100
Saccharomyces, 197, 199; *carlsbergensis*, 197, 198, 199, 200, 201, 202, 203; *cerevisiae*, 197, 198, 199, 201, 202, 203; *ellipsoideus*, 197; *logos*, 203
Saccharomyces, Biochemical investigation in, 197
Saccharum officinarum, 386
Saccobolus, 2
Salix, 378; *nigra*, 366; *pyrifolia*, 516
Sambucus, 469
SANWAL, B. D.: The development of the basidium in *Coleosporium sidae*, 205
Sarracenia, 515
Sassafras albidum, 267
Schaffneria nigripes, 92
Schedonnardus paniculatus, 190, 195
Schismocarpus, 138; **matudai, 138;** *pachypus*, 138
Schismocarpus, A second species of, 138
Schizandra, 374, 375; *glabra*, 366
Schizophyllum, 60
Sciadopitys, 417
Sclerolepis uniflora, 99
Scytomonas **ovatum, 345, 348; stene, 345, 348**
Sclerophthora, 304; macrospora, 304, 305, 306
Sclerospora, 299, 300, 303, 304, 305, 306; *graminicola*, 299, 304, 306; *kriegeriana*, 305; *macrospora*, 299, 300, 303, 304, 305; *oryzae*, 305
Secale cereale, 330, 331
Sedum, 217; *purpureum*, 169
Seismosarca, 35
Sempervivum soboliferum, 169
Senecio, 406
Septoria apii-graveolentis, 336; *nodorum*, 336
Sequoia, 409; *sempervirens*, 409, 411
Setaria, 299; *italica*, 189, 195; *viridis*, 305, 385
SHARP, AARON J. (Review), 233
Shiia, 318; *carlesii*, 319; *longicaudata*, 318, 319; *stipitata*, 319; *uraiana*, 322
Sida, 205
Silene spinescens, 327

SILVA, HERMAN: Fifteen new algae, 342
Sinningia purpurea, 173
Sisymbrium irio, 325, 326
SMALL, JOHN A. (Reviews), 341, 431, 517
Smilacina stellata, 100; *trifolia*, 516
Smilax rotundifolia, 267
Smuts reported from the United States, Notes on two, 498
Solanum melongena, 337, 340, 386, 453, 456; *nigram gigas*, 134
Sorbaria sorbifolia, 473
Sorbus, 471; *hybrida*, 471, 473; *torminalis*, 473
Sorghum, 335; *vulgare*, 189, 195
Spartina, 99, 100
Spegazzinia, 155, 156, 157, 160, 161, 163; *ammophila*, 155, 161; *brasiliensis*, 155, 159, 162, 164; *calyptrospora*, 155, 158, 161; *chandleri*, 155, 160, 164; *coffeae*, 155, 160, 163; *effusa*, 155, 161; *lobata*, 155, 161; *meliolae*, 155, 159, 162, 163; *meliolicola*, 155, 159, 163; *ornata*, 155, 156, 157, 159, 162, 164; *rubra*, 155, 161; *tessarthra*, 155, 157, 159, 160, 161, 162; *trichophila*, 155, 157, 158, 159, 160, 163; *tucumanensis*, 155, 159, 162
Spegazzinia Sacc. and *Isthmospora* Stevens, Notes on the hyphomycetous genera, 155
SPERRY, JOHN J.: Note on the flora of South-Central Texas, 350
Sphacelotheca schweinfurthiana, 335
Sphaerocarpos, 98
Sphagnum, 126, 128
Spinacia oleracea, 385
Spiraea, 471, 473; *ulmifolia*, 473
Spiranthes cernua, 143; *praecox*, 99, 143
Sporangial phase of downy mildew on *Eleusine coracana*, 299
Sporidesmium, 161; *tessarthrum*, 156, 157, 159, 162
Spumatoria, 513
Staphylea trifolia, 143
STARR, RICHARD C.: Morphology and reproduction of *Characium saccatum*, 308
Staurastrum, 260; *Dickiei* var. *parallelum*, 261
Stellaria araminea, 329
Stemphylium botryosum, 338, 339, 340; *muriculatum*, 160, 163
Stephanandra, 471, 473; *flexuosa*, 437; *incisa*, 471, 473
Stereum, 60
STERLING, CLARENCE: Developmental anatomy of the fruit of *Prunus domestica* L., 457
STEYERMARK, JULIAN A.: A second species of Schismocarpus, 138; A new *Meliosma* from the Colombian Andes, 500
Stipa viridula, 385
Streptomyces, 509
Strophanthus, 413, 414; **glabriflorus, 412,** 413, 414; *laurifolius*, 412; *pendulus*, 413; *ogovensis*, 413; *petersianus* var. *grandiflorus*, 413; *paroissei*, 413; *punctiferus*, 413; *sarmentosus*, 412, 413, 414; *sarmentosus* var. *major*, 413; *sarmentosus* var. *pubescens*, 413; *sarmentosus* var. *verrucosus*, 413; *senegambiae*, 413
Stropharia, 60
Subbaromyces, 511, 513, 514; **splendens,** 510, **511,** 514
Synaedrys amygdalifolia, 320; *carlesii*, 319; *formosana*, 320; *formosana* var. *dodonaeifolia*, 320; *kodaihoensis*, 321; *konishii*, 321; *rhombocarpa*, 322; *rhombocarpa* forma *suishaensis*, 322; *stipitata*, 318, 319; *taitoensis*, 320
Syringa vulgaris, 169, 170, 172
Talauma, 349, 350; *candolleri*, 349; *mexicana*, 366
Taphrina deformans, 326
Taxodium, 415; *ascendens*, 415, 416, 417; *distichum*, 415, 416, 417; *distichum* var. *imbricarium*, 416; *mucronatum*, 415, 416, 417
Taxodium, Three species of, 415
Tetrachia, 159; *quadrigemina*, 157, 159, 162; *singularis*, 160, 163
Tetracoccosporium, 156; *sacchari*, 164
Tetrahymena pyriformis, 419
Tetraploid smooth bromegrass, 131
Teucrium montanum, 170
Thalictrum, 136, 333; **cardenasianum, 136;** *dioicum*, 126, 128; *innucans*, 136; *venturii*, 136
Thecopsora vacciniorum, 335
THIRUMALACHAR, M. J., C. G. SHAW & M. J. NARASIMHAN: Sporangial phase of *Sclerospora* and identity of *Sclerospora macrospora*, 299
Thuidium delicatulum, 126, 128, 267, 268, 269
Thymus serphyllum, 169, 170
Tilletia, 498, 499; *euphorbiae*, 499
Tilletiaceae, 499
Titae costaricana, 160
Tomato-tobacco grafts, The growth of, 26
Torreya, 95, 139, 225, 349, 424, 515
Trachelomonas, 178; *ensifera* var. **depressa, 345, 346;** *ensifera* var. **spikata, 346**
Tradescantia, 273, 274, 277, 278, 445, 452,

453, 455; *ozarkana*, 452, 456; *paludosa*, 274, 445, 446, 452, 454, 455; *subaspera*, 453; *virginica*, 452, 453, 455
Trametes, 60
Tranzschelia punctata, 333
Tremella, 213, 214
Tremellales from the Southern Appalachians, New or noteworthy species of, 33
Trichoderma viride, 337
Tricholoma, 60
Trickling filter fungi, Study of, 507
Trifolium campestre, 328; *scabrum*, 328
Trillium erectum, 134; *ovatum*, 134; *sessile*, 134
Triposporium cristatum, 159, 160, 162
Trisetum sesquiflorum, 331
Triticum vulgare, 326, 331, 334, 335, 336
Tubularia, 60
Tulasnella violea, 40
Ulothrix **Dotyi**, 344, **348**
Umbelliferae, 351
Uredo Fici, 327
Uromyces appendiculatus, 327; *armeriae*, 327; *fabae*, 327; *heliotropi*, 327 *inaequialtus*, 327; *limonii*, 327; *pisi*, 327; *polygoni*, 327; *renovatus*, 327; *striatus*, 328; *trifolii*, 328
Ustilago, 498; *alismatis*, 498, 499; *avenae*, 335; *bromivora*, 335; *bullata*, 335; *cynodontis*, 335; *maydis*, 335; *tritici*, 335
Vaccinium, 143, 469; *myrtillus*, 335
Vaucheria, 478, 481, 482, 485, 495, 497; *adunca*, 481, 494, 495, 496; **alaskana**, 481, 484, **494**, 496; *amphibia*, 496; arrhyncha, 479, 481, 482; *brevicaulis*, 481, 492, 496; *coronata*, 486; *geminata*, 478, 483, 485, 492, 493; *geminata* var. *racemosa*, 485, 493; *hamata*, 478, 481, 483, 485, 486, 487, 488, 489, 490, 491, 493, 494, 496, 495; *hamulata*, 479, 480, 482, 492; **longata**, 478, **481**, 484, **492**, 493, 496; *orientalis*, 495, 496; *pendula*, 490; *pseudo-geminata*, 481, 494, 495, 496; *pseudo-monoica*, 495, 496; *sacculifera*, 479, 482; *scrobiculata*, 496; *terrestris*, 478, 480, 481, 482, 485, 486, 487, 490, 491, 494, 495, 496; *uncinata*, 478, 479, 480, 481, 482, 483, 496; *undulata*, 481, 484, 493, 496; *walzi*, 481, 483, 484, 485, 490, 496; *woroniniana*, 493
Vaucheriaceae, 497
Vaucheriopsis, 478, 481; *arrhyncha*, 479; *sinensis*, 479
Vauquelinia corymbosa, 473
Vegetation of a raised bog, 123
Viburnum, *acerifolium*, 267, 270
Vicia, 385; *faba*, 505; *macrocarpa*, 327
Vinca rosea, 223
Viola, 334; *fimbriatula*, 99; *pallens*, 126; *pedata*, 99; *primulifolia*, 99; *tricolor*, 385
Vitis, 267; *vinifera*, 326
WAGNER, WARREN H., JR.: *Asplenium* prototype of the genus *Diellia*, 76
Waldsteinia fragarioides, 473; *geoides*, 473
WALKER, E. H. (Review), 233
WHALEY, W. GORDON: The growth of reciprocal tomato-tobacco graft, 26
WHERRY, EDGAR T. (Review), 228
WHITEHEAD, MARVIN D. & M. J. THIRUMALACHAR: Notes on two smuts reported from the United States, 498
Winteraceae, 475
WODEHOUSE, ROGER, P. (Review), 429
WOOD, JOHN L.: Ascus development in *Ascobolus magnificus*, 1
Xyris fimbriata, 99
YUSEF, HASAN M.: Requirements of some Hymenomycetes for essential metabolites, 43
Zea mays, 335